# Subject index

Acadian metamorphism, 415
Acadian orogeny, 567
Alaska, 465
Alpine orogeny, 33
Alps, New Zealand, 171
aluminosilicates, 637
amphibolite facies, 453, 545
anatexis, 401, 715
Antarctica, 589
anticlockwise $P$–$T$–$t$ path, 333
Appalachians, 415
Arunta Block, 181

Bamble sector (Norway), 671
bathograds, 685
blueschist facies metamorphism, 651

calcareous pelites and semi-pelites, 615
calcite–dolomite, 487
calcite–graphite, 487
charnockite, 365
charnockites, 383
closed system, 503
$CO_2$, 715
$CO_2$ fluids, 763, 789
$CO_2$ infiltration, 365, 383
coesite, 517
collisional–post-collisional crustal thinning, 33
Connemara, 453
contact metamorphic complexes, 465
contact metamorphism, 87
Cordilleran orogeny, 465
cratonization, 311
crustal differentiation, 427
crustal thinning, 171, 203
crystallographic orientation, 567

decompression, 777
deformation, 589
deformation mechanisms, 567
deformation partitioning, 99
dehydration melting, 777
diffusion, 503
disequilibrium, 365
ductile shearing, 427
dynamothermal metamorphism, 239

Eastern Ghats granulite belt, India, 777
eclogite, 127
eclogite facies shear zones, 127
electrolyte solution, 789
equilibrium constant, 789
experimental petrology, 603
extension, 347
extensional deformation, 33

fluid buffering, 777
fluid flow, 453
fluid inclusion textural interpretation, 763
fluid inclusions, 715
fluid infiltration, 745
fluid production, 87
fluids, 87
FMASH, 603
foliation intersection axes in porphyroblasts, 295
front transport, 365

Gariep orogenic belt, Namibia, 651
garnet, 637
garnet stability, 221
geobarometry, 727
Georgian Bay, 321
geothermobarometer, 545
geothermobarometry, 615
geothermometry, 727
granites, 1
granulite, 427
granulite facies, 127, 347, 383, 777
granulite facies metamorphism, 671, 727
granulite facies rocks, 181
granulites, 17, 321, 383, 529
gravitational ordering, 311
greenschist, 147
greenschist facies, 545
greenschist–amphibolite facies, 171
greenstone thrust belts, 685
Grenville Province, Canada, 745, 763
Grenvillian orogeny, 321

Hercynian, 1
High Himalayan Crystalline Sequence, 439
high-$P$ metamorphism, 239
high-pressure metamorphism, 71
high-$T$/intermediate-$P$, 415
high-$T$/low-$P$, 415
Hoggar, 17

inclusion trails, 567
India, 383
infiltration, 427
inverted metamorphic zones, 615
inverted metamorphism, 439
isothermal decompression, 71
isotopes, 365
isotopic thermometry, 487

Klamath Mountains, 55
Koettlitz Group, 589
komatiitic basalt, 55
kornerupine, 181

Lewisian, 727
Littleton Schist, USA, 627
low-$P$/high-$T$ metamorphism, 333
lower crustal processes, 127

magnesio-riebeckite, 651
magnesian to Fe-rich metabasalts, 545
melt, 401
melt segregation, 589
melting, 503
meta-anorthosite, 745
metabasic rocks, 557
metabasites, 685

metamorphic convergence, 265
metamorphic core complex, 347
metamorphic modelling, 311
metamorphic overprinting, 321
metasomatism, 55
microstructures, 333
mid-crustal decollement, 321
migmatite, 427
migmatites, 1, 503, 589, 715
millipede structure, 283
mineral isograds, 685
Mojave, 347
Mount Isa Inlier, Queensland, 333

Na–Ca amphibole, 545
nappe stacking, 557
North Cascades, 71
numerical modelling, 87

orthopyroxene–sillimanite granulite, 671
oxygen isotopes, 55

*P–T* array, 171
*P–T* path, 17, 777
*P–T* paths, 181, 203, 265, 727
*P–T–t* path, 33
Palaeocene, 401
partial melting, 589, 727
pelitic granulite, 401
pelitic schist, 221
peristerite gap, 685
Permo-Jurassic extensional regime, 203
Permo-Triassic, 239
polymetamorphism, 347, 487
polyphase metamorphism, 439
porphyroblast, 627
porphyroblast inclusion-trail orientations, 295
porphyroblast rotation, 283
porphyroblasts, 99
porphyroclasts, 99
post-shock metamorphism, 517
post-thickening uplift, 203
Precambrian, 17
prehnite–pumpellyite, 147
pressure–temperature–time–deformation–space paths, 557
prograde metamorphism, 221
pseudotachylite, 517

quartz veins, 453

regional, 465
regional metamorphism, 87
relative direction of plate motion, 295
restite, 401
retrograde *P–T* path, 763
rotation, 627

S-type tonalite, 401
San Gabriel Mountains, California, 529
sapphirine, 17, 181
sapphirine granulite, 671
Scandinavian Caledonides, 265, 615
scapolite, 745
sequential porphyroblast growth, 637
Seve–Köli Nappe Complex, 265
shear sense, 567
shear zone deformation, 763
shear zones, 127
shear-sense history, 99
silica migration, 453
Skagit Gneiss, 71, 715
slip direction, 627
Smartville Complex, California, 147
solubility, 789
Southern Alps, 203
spiral garnet, 283
spiral garnet porphyroblasts, 567
stable isotopes, 745
static metamorphism, 517
staurolite, 627, 637
subduction, 239
subduction–crustal thickening, 33
sudoite stability, 603
Swiss–Italian Alps, 33
syn-metamorphic plutons, 333
syndeformational growth, 637

terranes, 465
thermal anomaly, 1
thermobarometry, 1, 239, 265, 439, 529, 557
thermodynamic data, 603

uplift and exhumation, 615

volcanic arc, 147
Vredefort impact structure, 517

whole-rock MnO content, 221

Yukon, 239

# Author index


Allibone, A. H. & Norris, R. J. Segregation of leucogranite microplutons during syn-anatectic deformation: an example from the Taylor Valley, Antarctica, 589
Armstrong, T. R., Tracey, R. J. & Hames, W. E. Contrasting styles of Taconian, Eastern Acadian and Western Acadian metamorphism, central and western New England, 415
Audren, C., *see* Triboulet, C.
Austrheim, H., *see* Boundy, T. M.

Barbey, P., *see* Montel, M.
Barth, A. P. & May, D. J. Mineralogy and pressure–temperature–time path of Cretaceous granulite gneisses, south-eastern San Gabriel Mountains, southern California, 529
Barton, M. D., *see* Hacker, B. R.
Bégin, N. J. Contrasting mineral isograd sequences in metabasites of the Cape Smith Belt, northern Québec, Canada: three new bathograds for mafic rocks, 685
Beiersdorfer, R. E., *see* Springer, R. K.
Bell, T. H. & Johnson, S. E. Shear sense: a new approach that resolves conflicts between criteria in metamorphic rocks, 99
Bell, T. H., Johnson, S. E., Davis, B., Forde, A., Hayward, N. & Wilkins, C. Porphyroblast inclusion-trail orientation data: *eppure non son girate*! 295
Bergman, S. *P–T* paths in the Handöl area, central Scandinavia: record of Caledonian accretion of outboard rocks to the Baltoscandian margin, 265
Bertrand, P., Ouzegane, Kh. & Kienast, J. R. *P–T–X* relationships in the Precambrian Al–Mg-rich granulites from In Ouzzal, Hoggar, Algeria, 17
Bottrell, S. H., *see* Yardley, B. W. D.
Boundy, T. M., Fountain, D. M. & Austrheim, H. Structural development and petrofabrics of eclogite facies shear zones, Bergen Arcs, western Norway: implications for deep crustal deformation processes, 127
Boyle, A. P. & Westhead, R. K. Metamorphic peak geothermobarometry in the Furulund Group, Sulitjelma, Scandinavian Caledonides: implications for uplift, 615
Brew, D. A., Himmelberg, G. R., Loney, R. A. & Ford, A. B. Distribution and characteristics of metamorphic belts in the south-eastern Alaska part of the North American Cordillera, 465
Bucher-Nurminen, K., *see* Kihle, J.
Busa, M. D. & Gray, N. H. Rotated staurolite porphyroblasts in the Littleton Schist at Bolton, Connecticut, USA, 627

Cartwright, I. Archaean granulite facies metamorphism of the Lewisian of Tiree, Inner Hebrides, north-west Scotland, 727
Chakraborti, S., *see* Dasgupta, S.
Corrigan, D., *see* Jamieson, R. A.
Culshaw, N. G., *see* Jamieson, R. A.

Dasgupta, S., Sengupta, P., Fukuoka, M. & Chakraborti, S. Dehydration melting, fluid buffering and decompressional *P–T* path in a granulite complex from the Eastern Ghats, India, 777
Davis, B., *see* Bell, T. H.
Day, H. W., *see* Springer, R. K.
Diella, V., Spalla, M. I. & Tunesi, A. Contrasting thermomechanical evolutions in the Southalpine metamorphic basement of the Orobic Alps (Central Alps, Italy), 203
Dokka, R. K., *see* Henry, D. J.
Dunn, S. R. & Valley, J. W. Calcite–graphite isotope thermometry: a test for polymetamorphism in marble, Tudor gabbro aureole, Ontario, Canada, 487

Ernst, W. G., *see* Hacker, B. R.
Essene, E. J., *see* Moecher, D. P.

Ferry, J. M., *see* Symmes, G. H.
Ford, A. B., *see* Brew, D. A.
Forde, A., *see* Bell, T. H.
Fountain, D. M., *see* Boundy, T. M.
Frimmel, H. E. & Hartnady, C. J. H. Blue amphiboles and their significance for the metamorphic history of the Pan-African Gariep belt, Namibia, 651
Fukuoka, M., *see* Dasgupta, S.

Ghent, E. D., *see* Pattison, D. R. M.
Gibson, R. L. Sequential, syndeformational porphyroblast growth during Hercynian low-pressure/high-temperature metamorphism in the Canigou massif, Pyrenees, 637
Goffé, B., *see* Vidal, O.
Gordon, T. M., *see* Pattison, D. R. M.
Goscombe, B. Silica-undersaturated sapphirine, spinel and kornerupine granulite facies rocks, NE Strangways Range, Central Australia, 181
Grapes, R. & Watanabe, T. Metamorphism and uplift of Alpine schist in the Franz Josef–Fox Glacier area of the Southern Alps, New Zealand, 171
Gray, N. H., *see* Busa, M. D.

Hacker, B. R., Ernst, W. G. & Barton, M. D. Metamorphism, geochemistry and origin of magnesian volcanic rocks, Klamath Mountains, California, 55
Hayward, N., *see* Bell, T. H.
Hames, W. E., *see* Armstrong, T. R.
Hansen, V. L. *P–T* evolution of the Teslin suture zone and Cassiar tectonites, Yukon, Canada: evidence for A- and B-type subduction, 239
Hanson, R. B. Effects of fluid production on fluid flow during regional and contact metamorphism, 87
Harris, N. B. W., *see* Inger, S.
Hartnady, C. J. H., *see* Frimmel, H. E.
Hayward, N. Microstructural analysis of the classic spiral garnet porphyroblasts of south-east Vermont: evidence for non-rotation, 567
Henry, D. J. & Dokka, R. K. Metamorphic evolution of exhumed middle to lower crustal rocks in the Mojave Extensional Belt, southern California, USA, 347
Himmelberg, G. R., *see* Brew, D. A.

Inger, S. & Harris, N. B. W. Tectonothermal evolution of High Himalayan Crystalline Sequence, Langtang Valley, northern Nepal, 439

Jackson, D. H. & Santosh, M. Dehydration reaction and isotope front transport induced by $CO_2$ infiltration at Nuliyam, South India, 365
Jamieson, R. A., Culshaw, N. G., Wodicka, N., Corrigan, D. & Ketchum, J. W. F. Timing and tectonic setting of Grenvillian metamorphism—constraints from a transect along Georgian Bay, Ontario, 321
Johnson, S. E., *see* Bell, T. H.

Kawasaki, T., *see* Osanai, Y.
Ketchum, J. W. F., *see* Jamieson, R. A.
Kienast, J. R., *see* Bertrand, P.

Kihle, J. & Bucher-Nurminen, K. Orthopyroxene–sillimanite–sapphirine granulites from the Bamble granulite terrane, southern Norway, 671

Lamb, W. M. & Moecher, D. P. $CO_2$-rich fluid inclusions in the Whitestone Anorthosite: implications for the retrograde history of the Parry Sound Shear Zone, Grenville Province, Canada, 763
Loney, R. A., *see* Brew, D. A.

Maaløe, S. Melting and diffusion processes in closed-system migmatization, 503
Marignac, C., *see* Montel, M.
Martini, J. E. J. The metamorphic history of the Vredefort dome at approximately 2 Ga as revealed by coesite–stishovite-bearing pseudotachylites, 517
May, D. J., *see* Barth, A. P.
Moecher, D. P., Essene, E. J. & Valley, J. W. Stable isotopic and petrological constraints on scapolitization of the Whitestone meta-anorthosite, Grenville Province, Ontario, 745
Moecher, D. P., *see* Lamb, W. M.
Mogk, D. W. Ductile shearing and migmatization at mid-crustal levels in an Archaean high-grade gneiss belt, northern Gallatin Range, Montana, USA, 427
Montel, J. M., Marignac, C., Barbey, P. & Pichavant, M. Thermobarometry and granite genesis: the Hercynian low-*P*, high-*T* Velay anatectic dome (French Massif Central), 1

Newton, R. C. Charnockitic alteration: evidence for $CO_2$ infiltration in granulite facies metamorphism, 383
Norris, R. J., *see* Allibone, A. H.

Osanai, Y., Owada, M. & Kawasaki, T. Tertiary deep crustal ultrametamorphism in the Hidaka metamorphic belt, northern Japan, 401
Ouzegane, Kh., *see* Bertrand, P.
Owada, M., *see* Osanai, Y.

Passchier, C. W., Trouw, R. A. J., Zwart, H. J. & Vissers, R. L. M. Porphyroblast rotation: *eppur si muove*? 283
Pattison, D. R. M., Ghent, E. D. & Gordon, T. M. Metamorphic styles in young and ancient orogenic belts: introduction, 309
Perchuk, L. L., Podladchikov, Y. Yu & Polyakov, A. N. Hydrodynamic modelling of some metamorphic processes, 311
Pichavant, M., *see* Montel, M.
Podladchikov, Y. Yu, *see* Perchuk, L. L.
Polyakov, A. N., *see* Perchuk, L. L.

Ring, U. The Alpine geodynamic evolution of Penninic nappes in the eastern Central Alps: geothermobarometric and kinematic data, 33
Rubenach, M. J. Proterozoic low-pressure/high-temperature metamorphism and an anticlockwise *P–T–t* path for the Hazeldene area, Mount Isa Inlier, Queensland, Australia, 333

Santosh, M., *see* Jackson, D. H.
Sengupta, P., *see* Dasgupta, S.
Spalla, M. I., *see* Diella, V.
Springer, R. K., Day, H. W. & Beiersdorfer, R. E. Prehnite–pumpellyite to greenschist facies transition, Smartsville Complex, near Auburn, California, 147
Symmes, G. H. & Ferry, J. M. The effect of whole-rock MnO content on the stability of garnet in pelitic schists during metamorphism, 221

Theye, T., *see* Vidal, O.
Thiéblemont, D., *see* Triboulet, C.
Tracey, R. J., *see* Armstrong, T. R.
Triboulet, C. The (Na–Ca)amphibole–albite–chlorite–epidote–quartz geothermometer in the system S–A–F–M–C–N–$H_2O$. 1. An empirical calibration, 545
Triboulet, C., Thiéblemont, D. & Audren, C. The (Na–Ca) amphibole–albite–chlorite–epidote–quartz geothermometer in the system S–A–F–M–C–N–$H_2O$. 2. Applications to metabasic rocks in different metamorphic settings, 557
Trouw, R. A. J., *see* Passchier, C. W.
Tunesi, A., *see* Diella, V.

Valley, J. W., *see* Dunn, S. R.
Valley, J. W., *see* Moecher, D. P.
Vidal, O., Goffé, B. & Theye, T. Experimental study of the stability of sudoite and magnesiocarpholite and calculation of a new petrogenetic grid for the system FeO–MgO–$Al_2O_3$–$SiO_2$–$H_2O$, 603
Vissers, R. L. M., *see* Passchier, C. W.

Walther, J. V. Ionic association in $H_2O$–$CO_2$ fluids at mid-crustal conditions, 789
Watanabe, T., *see* Grapes, R.
Westhead, R. K., *see* Boyle, A. P.
Whitney, D. L. High-pressure metamorphism in the Western Cordillera of North America: an example from the Skagit Gneiss, North Cascades, 71
Whitney, D. L. Origin of $CO_2$-rich fluid inclusions in leucosomes from the Skagit migmatites, North Cascades, Washington, USA, 715
Wilkins, C., *see* Bell, T. H.
Wodicka, N., *see* Jamieson, R. A.

Yardley, B. W. D. & Bottrell, S. H. Silica mobility and fluid movement during metamorphism of the Connemara schists, Ireland, 453

Zwart, H. J., *see* Passchier, C. W.